

Cape Town, Oude Molen Precinct

TREES AND SHRUBS QUALITY SURVEY

Prepared
by:









Planning Partners
Landscape Architects




For:




Western Cape Government




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
1.		<i>Plumeria sp.</i>	0.2	2	3	Multi stem, windblown, fair condition
2.		<i>Ekebergia capensis</i>	0.25	3	5	Good condition, slightly leaning.
3.		<i>Ekebergia sp.</i>	0.25	3	3.5	Stunted slightly leaning




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
4.		<i>Platanus x acerfolia</i>	0.8	13	10+	Split stem, heavy leaning, wind blown
5.		<i>Pinus sp.</i>	1.2	11	11	Split stem, mature, very old
6.		<i>Eucalyptus sp.</i>	1.8	18	20	Mature, very old




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
7.		<i>Eucalyptus sp.</i>	1.8	19	20	Mature, very old
8.		<i>Eucalyptus sp.</i>	1.8	19	18	Leaning
9.		<i>Erythrina sp.</i>	0.4	9	6	Split stem, Good condition, healthy




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
10.		<i>Celtis sp.</i>	0.1	1.7	2.5	Newly planted, young, healthy
11.		<i>Celtis sp.</i>	0.1	1.7	2.5	Newly planted, young, healthy
12.		<i>Erythrina sp.</i>	0.15	3	2.5	Newly planted, young, healthy




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
13.		<i>Celtis sp.</i>	0.1	3	2.5	Young, newly planted
14.		<i>Celtis sp.</i>	0.1	2	2	Young, newly planted
15.		<i>Afrocarpus falcatus</i>	0.1	1	1	Shrub size



NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
16.		<i>Aloidendron barberae</i>	0.3	2.5	4.5	Focal element
17.		<i>Syzygium cordatum</i>	0.35	6	7	Diseased, old
18.		<i>Eriobotrya japonica</i>	7	6	0.7	Split stem, invader, Mature, Dead wood




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
19.		<i>Eriobotrya japonica</i>	0.1	2.5	2	Healthy, young.
20.		<i>Tarchonanthus camphoratus</i>	0.35	12	7	Mature, healthy, dead wood.
21.		<i>Salix capensis</i>	0.2	5	5	Twining stem, fair condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
22.		<i>Syzygium guineense</i>	0.8	11	9	Mature, old, multi stem
23.		<i>Schinus terebinthifolius</i>	0.9	14	6	Multi stem, mature.
24.		<i>Olea europea subsp. Africana</i>	0.35	4	8	mature, very old, dead wood




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
25.		<i>Olea sp.</i>	0.8	10	7	Spreading, requires pruning
26.		<i>Searsia pendulina</i>	1	17	7-8	Spreading canopy
27.		<i>Quercus suber</i>	0.3	9	8	Good condition, healthy




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
28.		<i>Phytolacca dioica</i>	4	12	8-9	Invasive, Good condition
29.		-Unknown shrub - <i>Virgilia oroboides</i>	MS	5	4	cluster, healthy
30.		<i>Tarchonanthus camphoratus</i> - <i>Syzygium guineense</i> - <i>Searsia pendulina</i> - <i>Celtis sp.</i>				




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
31.		<i>Sideroxylon inerme</i>	0.8	5	5	Split stem, broken, damaged, Poor cond.
32.		<i>Tarchonanthus camphoratus</i>	MS	8	5	Hedge, Spreading, damaged.




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
33.		<i>Phytolacca dioica</i>	1.2	9	9	Exposed roots, Good condition, Invader
34.		<i>Phytolacca dioica</i>	1	4	6	Exposed roots, Multi stem, split stem
35.		<i>Phytolacca dioica</i>	7	15	10	Exposed roots, Mature, healthy, invader.




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
36.		<i>Phytolacca dioica</i>	MS(3)	6	5	Exposed roots, Invader
37.		<i>Searsia pendulina</i>	MS (0.8)	11	5	Raised roots, Fair condition, Spreading
38.		<i>Melia azedarach</i>	1.2	10	8	Poor condition, Windblown, dead wood.




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
39.		<i>Schinus terebinthifolius</i>		8	4	cluster
40.		<i>Ficus sp.</i>	1.7	19	10	Spreading, very healthy
41.		<i>Ficus sp.</i>	11	13	9	Leaning over




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
42.		<i>Phytolacca dioica</i>	MS (1)	2.5	3.5	Exposed roots, Damaged, invader
43.		<i>Phytolacca dioica</i>	2	7	7	Exposed roots, Damaged, invader
44.		<i>Phytolacca dioica</i>	2	7	6	Exposed roots, Damaged, invader




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
45.		<i>Phytolacca dioica</i>	1.5	7	5	Exposed roots, Damaged, invader
46.		<i>Phytolacca dioica</i>	1.6	7	6	Exposed roots, Damaged, invader
47.		<i>Phytolacca dioica</i>	2.5	11	5	Exposed roots, Fair condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
48.		<i>Phytolacca dioica</i>	2	8	5	Exposed roots
49.		<i>Phytolacca dioica</i>	3	8	5	Exposed roots, Good condition
50.		<i>Phytolacca dioica</i>	1.5	8	5	Exposed roots, Fair condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
51.		<i>Phytolacca dioica</i>	4	8	5	Exposed roots, Exposed root
52.		<i>Phytolacca dioica</i>	MS (2)	8	5	Exposed roots, Damaged
53.		<i>Melaleuca quinque x 7</i>	MS (0.3)		4.5	Cluster, diseased




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
54.		<i>Melaleuca quinque x 4</i>	MS (0.3)		5	Cluster, diseased
55.		<i>Phytolacca dioica</i>	MS (1.8)	4	7	Exposed roots, fair condition
56.		<i>Phytolacca dioica</i>	MS (1)	4	7	Exposed roots, fair condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
57.		<i>Melaleuca quinque</i>	MS (0.1)	4	7	Cluster, diseased
58.		<i>Melaleuca quinque</i>	MS (0.1)	4	7	Cluster, diseased
59.		<i>Phytolacca dioica</i>	0.8	3	4.5	Exposed roots, Poor condition, invader




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
60.		<i>Robinia pseudoacacia</i>	1.1	14	9-10	invader, Poor condition, Damaged
61.		<i>Phytolacca dioica</i>	0.8	3	8	Exposed roots, Poor condition
62.		<i>Phytolacca dioica</i>	3.5	10	11	Exposed roots




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
63.		<i>Phytolacca dioica</i>	1.5	5.5	9-10	Exposed roots, Poor condition, Damaged
64.		<i>Eucalyptus conferruminata</i>		17	10	Poor condition, old, spreading
65.		<i>Ekebergia sp.</i>	0.8	12	9-10	Old, mature, dead wood




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
66.		<i>Phoenix sp.</i>	1	9	6	Clear stem, Good condition
67.		<i>Eucalyptus sp.</i>	0.8	9	10	Good condition
68.		<i>Ekebergia sp.</i>	0.5	10	8	Fair condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
69.		<i>Eucalyptus sp.</i>	0.8	5	11	Mature, Good condition, Dead wood
70.		<i>Phytolacca dioica</i>	0.8	7	10	Good condition, slightly leaning.
71.		<i>Phytolacca dioica</i> USE OTHER PIC	2	11	12	Exposed roots




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
72.		<i>Phytolacca dioica</i>	2.1	11	3	Exposed roots, spreading canopy, mature
73.		<i>Phytolacca dioica</i>	0.4	4.5	9	Exposed roots, slender, good condition
74.		<i>Phytolacca dioica</i>	4.5	12	14	Exposed roots, cluster, mature, Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
75.		<i>Phytolacca dioica</i>	MS (1)	5	13	Exposed roots, Fair condition, dead wood
76.		<i>Phytolacca dioica</i>	2	9	13	Exposed roots, good condition
77.		<i>Phytolacca dioica</i>	2.2	15	14	Exposed roots, spreading canopy, mature




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
78.		<i>Ficus natalensis</i>	MS (1)	13.5	9-10	Fair condition, requires pruning
79.		<i>Ceratonia siliqua</i>	0.25	5	5.5	Fair condition, dead wood, needs pruning
80.		<i>Olea sp.</i>	0.3	4.5	5	Windblown, leaning, fair condition, Requires pruning




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
81.		<i>Olea sp.</i>	MS (0.4)	4	5	Requires pruning
82.		<i>Unknown</i>	0.3	6	5	Split stem, dead wood, requires pruning
83.		<i>Unknown</i>	MS (0.5)	8	6	spreading, fair condition, requires pruning




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
84.		<i>Olea sp.</i>	0.15	2.5	3-4	Big shrub, fair condition
85.		<i>Unknown</i>	0.15	2.5	3	Poor condition, requires pruning
86.		<i>Olea sp.</i>	0.2	5	4.5	Shrub, fair condition, requires pruning




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
87.		<i>Melia azadarach</i>	0.8	10	12	
88.		<i>Dovyalis caffra</i>	0.2	6.5	4.5	Shrub, Good condition. Mature
89.		<i>Melia azedarach</i>	0.8	7	12	Cluster, fair condition



NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
90.		<i>Melia azedarach</i>	1	7	12	Cluster, Upright, Slender, Fair condition
91.		<i>Melia azedarach</i>	1.5	10	12	Cluster
92.		<i>Syzygium cordatum</i>	0.35	5	10	Blown over, fair condition.




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
93.		<i>Prunus dulcis</i>	0.3	5	4-5	Mature, fair condition, fruiting, requires pruning
94.		<i>Prunus dulcis</i>	0.2	4.5	4	Mature, fair condition, fruiting, requires pruning
95.		<i>Rosa canina</i>		2	7	Mature, good condition



NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
96.		<i>Syzygium cordatum</i>	0.4	9	10	Fair condition, requires pruning
97.		<i>Phoenix reclinata</i>	MS (1.1)	4	4	Poor condition
98.		<i>Citharexylum spinosum</i>	MS (1)	2	4	Cluster, poor condition.




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
99.		<i>Callistemon viminalis</i>	0.4	5	10	Split stem
100.		<i>Callistemon viminalis</i>	0.5	5	10	Split stem
101.		<i>Callistemon viminalis</i>	0.6	5	10	Split stem

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
102.		<i>Trichilia emetica</i>	0.4	10	13	Leaning stem, good condition
103.		<i>Tarchonanthus camphoratus</i>	0.2	5	4	Leaning stem, spreading
104.		<i>Melia azedarach</i>	0.3	5	4	Fair condition, untidy, shrubs




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
105.		<ul style="list-style-type: none"> -<i>Eriobotrya japonica</i> -<i>Citharexylum spinosum</i> -<i>Liquidambar styraciflua</i> -<i>Schinus terebinthifolius</i> -<i>Persea americana</i> 		7	4-5	Poor condition, shrubs
106.		<p><i>Melia azedarach</i></p>	0.45	5	9	Fair condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
107.		<i>Citharexylum spinosum</i>	MS (0.8)	3.5	4.5	Poor condition, shrub
108.		<i>Phoenix canariensis</i>	1	2	2	Clear stem, few branches, poor conditions
109.		<i>Citharexylum spinosum</i>	MS (1)	4	4.5	Poor condition, shrubs.




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
110.		<i>Acacia saligna</i>	0.45	9	9	Leaning, invader
111.		<i>Celtis sp. #1</i>	0.25	4	5.2	Big leaves
112.		<i>Celtis sp. #2</i>	0.26	4	5.3	Small leaves




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
113.		<i>Tarchonanthus camphoratus</i>	0.7	4	5.5	Spreading, fair condition
114.		<i>Ficus sp.</i>	MS (1)	5	6.5	Fair condition
115.		- <i>Solanum</i> - <i>Plumeria sp.</i> - <i>Tecoma capensis</i> - <i>Yucca gigantea</i>		±3		




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
116.		<i>Yucca gigantea</i>	MS		3	cluster, fair condition
117.		<i>Tarchonanthus camphoratus</i>	0.35	7	10	mature, fair condition, requires pruning
118.		<i>Kiggerlaria africana</i>	0.5	9	12	Split stem




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
119.		<i>Erythrina sp.</i>	MS	4.5	5.5	Good condition
120.		<i>Harpephyllum</i>	MS (1)	10	11	Spreading canopy, good condition
121.		<i>Acacia saligna</i>	0.4	11	9	Leaning, invader, Good condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
122.		<i>Kiggerlaria africana</i>	0.4	5	9	Split stem, Good condition, healthy
123.		<i>Phoenix canariensis</i>	1.5	7	15	Clear stem, Good condition, requires prune
124.		<i>Ceratonia siliqua</i>	0.5	4	5	Multi stem, leaning, heavily pruned, mature




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
125.		<i>Ceratonia siliqua</i>	0.3	5	6	Wind blown, leaning, dead wood, fair condition
126.		<i>Brachylaena discolor</i> x 6	0.4	15	5	Multi stem, clustered, leaning, wind blown
127.		<i>Syzygium cordatum</i> x 3	0.5	10	5	Split stem, wind blown, dead wood, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
128.		<i>Ficus sp.</i>	2	19	10+	Spreading canopy, good condition
129.		<i>Ficus macrocarpa</i>	0.3	4	8	Supressed growth, fair condition
130.		<i>Ficus nataliensis</i>	0.6	9	10+	Damaged, dead wood, fair condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
131.		<i>Brachylaena a discolor</i>	MS (1)	9	5	Mature, good condition
132.		<i>Ficus macrocarpa</i>	0.35	10	9	Damaged, dead wood, Supressed growth
133.		<i>Ficus macrocarpa</i>	0.4	10	9	Damaged, dead wood, Supressed growth,




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
134.		<i>Brachylaena a</i>	6.2	4	5	Fair condition, leaning
135.		<i>Yucca gigantea</i>				Good condition
136.		<i>Callistemon viminalis</i>	0.3	5.5	9	Old, damaged, dead wood




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
137.		<i>Unknown</i>	0.5	7	10	Old, dead wood, fair condition
138.		<i>Kiggerlaria africana</i>	0.4	5	10	Fair condition, dead wood
139.		<i>Acacia karoo</i>	0.45	10	8.9	Mature, fair condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
140.		<i>Lagunaria patersonii</i>	0.2	5	7	Dead wood, good condition, requires pruning
141.		<i>Melia azedarach</i>	0.5	5	10	Fair condition, invader
142.		<i>Acer negundo</i>	0.6	6	6	Spreading, poor condition, fair condition, dead wood, damaged




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
143.		<i>Metrosideros excelsa</i>	0.2	5.5	6.5	Fair condition, dead wood
144.		<i>Afrocarpus falcatus</i>	MS (0.5)	6	6	Spreading, fair condition-good condition
145.		<i>Callistemon viminalis</i>	(MS)	9	10	Mature, badly pruned, fair condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
146.		<i>Callistemon viminalis</i>	0.35	7	10	Fair condition, dead wood
147.		<i>Melaleuca quinquenervia</i>	1	1.3	8-9	Multi stems, mature, spreading, good condition
148.		- <i>Carrisa</i> sp - <i>Melia azedarach</i> - <i>Eriobotrya japonica</i> - <i>Harpephyllum</i>		9	6	Cluster



NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
149.		<i>Unknown</i>	0.35	8	8-9	Leaning canopy, dead wood, fair-poor condition
150		<i>Melia sp.</i>	0.45	6	10-11	Fair condition, invader
151.		<i>Erythrina sp.</i>	0.25	3	5	Young, healthy




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
152.		<i>Dombeya rotundifolia</i>	MS (1)	8	3	Shrub
153.		<i>Schinus molle</i>	0.35	8	4.5-5	Fair condition, mature
154.		<i>Strelitzia nicolai</i>	MS (3)	7	6	Cluster, good condition


NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
155.		<i>Erythrina sp.</i>	0.5	7	9	Split stem, good condition, dead wood
156.		<i>Schinus terebinthifolia</i>	MS (1)	10	9	Fair condition, invader
157.		<i>Ekebergia capensis</i>	0.3	8	6	Spreading, good condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
158.		- <i>Hibiscus</i> sp. - <i>Kiggerlaria africana</i> - <i>Ekebergia</i> sp.		10	9	Cluster
159.		<i>Melia azedarach</i>	0.4	9	9-10	Fair condition, invader
160.		<i>Kiggerlaria africana</i>	0.2	3	7	




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
161.		<i>Syzygium paniculatum</i>	1.1	10	7-8	Multi stem, spreading, fair condition
162.		<i>Hibiscus sp.</i>	MS (0.7)	6	5	Fair condition, require pruning
163.		<i>Acer negundo</i>	0.4	5	7	Poor condition, damage




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
164.		<i>Syzygium cordatum</i>	0.4	5	8	Good condition
165.		<i>Eriobotrya japonica</i>	MS (0.3)	8	4.5	Spreading, dead wood, fair condition
166.		<i>Citharexylum spinosum</i>	MS (0.3)	5	5	Shrub




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
167.		<i>Kiggerlaria africana</i>	0.3	3	7	Good condition
168.		<i>Kiggerlaria africana</i>				
169.		<i>Kiggerlaria africana</i>				




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
170.		<i>Kiggerlaria africana</i>	0.15	1	5	Fair condition, wind blown
171.		<i>Kiggerlaria africana</i>	MS (0.2)	4	6-7	Good condition
172.		<i>Unknown</i>	0.4	10	5	Canopy blown over, Fair condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
173.		<i>Afrocarpus falcatus</i>	0.4	2.5	4	Multi stem, fair condition
174.		<i>Brachylaena discolor</i>	1	4	3	Multi stem, fair condition
175.		<i>Melia azedarach</i>	1	16	7	Split stem, large..., good condition, invader

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
176.	 A photograph showing a person in a blue shirt and dark pants standing next to a tree, holding a white sign with the number 176. The tree is leaning to the right.	<i>Unknown</i>	0.3	5	9	Leaning
177.	 A photograph showing a person in a blue shirt and dark pants standing next to a tree, holding a white sign with the number 177. The tree is spreading and appears healthy.	<i>Brachylaena discolor</i>	MS (1)	11	5	Spreading..., good condition
178.	 A photograph showing a person in a blue shirt and dark pants standing next to a tree, holding a white sign with the number 178. The tree is dead.	<i>Dead</i>				

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
179.		<i>Syzygium cordatum</i>	0.4	4	8	Split stem, fair condition
180.		<i>Syzygium cordatum</i>	0.4	4	8	Leaning
181.		<i>Ekebergia sp.</i>	0.3	10	6	Split stem, fair condition, dead wood




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
182.		<i>Schinus terebinthifolia</i>	1.1	12	9	Dead wood, damaged by pruning, fair condition, invader
183.		<i>Phoenix canariensis</i>	1	9		Good condition
184.		<i>Searsia pendulina</i>	1.5	9-10	9-10	




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
185.		<i>Melaleuca viminalis</i>	0.15	4	3	Shrub
186.		<i>Trichilia emetica</i>	0.3	5	6	Suppress growth, spreading, poor condition
187.		<i>Searsia pendulina</i>	1.1	14	7	Damaged by pruning




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
188.		<i>Liquidambar styraciflua</i>	0.25	4	5	Fair condition, damaged by pruning
189.		<i>Searsia pendulina</i>	MS (1)			187
190.		<i>Syzygium cordatum</i>	0.9	9	10-11	Multi stem, dead wood,




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
191.		<i>Strelitzia nicolai</i>	1.5	5	1.8	Good condition
192.		<i>Quercus sp</i>	0.5	6	9-10	
193.		<i>Erythrina sp</i>	0.25	8	3	Good condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
194.		<i>Olea sp.</i>	0.3	5	5	Split stem, good condition
195.		<i>Ficus sp.</i>	1.5	27	12	
196.		<i>Brachylaena discolor</i>	0.5	13	10-12	Spreading, good condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
197.		<i>Ficus sp.</i>		1	10-12	Cluster, suppressed growth
198.		<i>Kiggerlaria africana</i>	0.3	4	6	Over grown, good condition
199.		<i>syzygium cordatum</i>	0.4	5	6-7	Fair condition


NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
200.		<i>Searsia pendulina</i>	0.5	9	10-12	Fair condition
201.		<i>Lagunaria patersonii</i>	0.9	7	10-12	Good condition, slightly suppressed, multi stem
202.		<i>Tecoma stans</i>	0.8	7	9	Poor condition, dead wood




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
203.		<i>Celtis sp.</i>	0.35	7	6	Good condition, exposed roots
204.		<i>Phoenix canariensis</i>	1.2	7	14	Good condition
205.		<i>Phytolacca dioica</i>	2.5	7	12	Exposed roots, poor condition, invader




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
206.		<i>Casuarina cunninghamiana</i>	0.8	8	13	Invader, poor condition, dead wood,
207.		<i>Casuarina cunninghamiana</i>	0.8	8	14	
208.		<i>Dovyalis caffra</i>	3.2	6	8	Over grown, fair condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
209.		<i>Phytolacca dioica</i>	8	19	12	3 trees growing into each other
210.		<i>Ceratonia siliqua</i>	1	10	8	Fair condition, leaning over
211.		<i>Afrocarpus falcatus</i>	0.12	5	6	Untidy growth, damaged by pruning




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
212.		<i>Syzygium cordatum</i>	0.35	7	8	Split stem, good condition
213.		<i>Quercus sp.</i>	0.5	10	12	Good condition
214.		<i>Syzygium cordatum</i>	0.4	11	9	Good condition



NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
215.		<i>Afrocarpus falcatus</i>	MS (0.2)	1.5	2.5	Shrub, poor condition
216.		<i>Cussonia spicata</i>	0.3	6	12	Good condition
217.		<i>Afrocarpus falcatus</i>	0.4	7	12	Good condition, split stem




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
218.		<i>Searsia viminalis</i>	0.4	13	12	Leaning over
219.		<i>Afrocarpus falcatus</i>	0.4	7	12	No split stem
220.		<i>Searsia viminalis</i>	MS (0.8)	7	7	Fair condition, dead wood,




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
221.		<i>Syzygium cordatum</i>	MS (0.9)	12	12	Good condition, spreading canopy
222.		<i>Syzygium cordatum</i>	0.5	9	12	
223.		<i>Olea sp.</i>	MS (0.25)	4.5	5.5	Shrub, good condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
224.		<i>Brachylaena discolor</i>	MS (0.5)	9	12	Dead wood, fair condition
225.		<i>Brachylaena discolor</i>		4	5	Over grown, fair condition
226.		<i>Melia azedarach</i>	0.35	10	12	Good condition, invader




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
227.		<i>Schinus sp</i>	0.64	10	11	Multi stem, over grown, fair condition
228.		<i>Macadamia integrifolia</i>	0.22	9	11	Good condition, healthy..
229.		<i>Lemon eureka</i>	0.1	2.5	4.5	Dead wood, poor condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
230.		<i>Prunus persica</i>	0.1	3	5	Split stem, fair condition, fruiting
231.		<i>Brachylaena discolor</i>	0.16	5	8	Suppressed growth, fair condition
232.		<i>Prunus persica</i>	.3	8	6.5	Stem split, fruiting, fair condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
233.		<i>Schinus molle</i>	0.4	13	9	Good condition
234.		<i>Harpephyllum sp.</i>	0.1	1	5	Upright, good condition, split stem
235.		<i>Yucca gigantea</i>	0.24	3	5	Split stem (0.5)



NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
236.		<i>Ceratonia siliqua</i>	0.12	3	5	Leaning, good condition, young
237.		<i>Phytolacca dioica</i>	7	15	13-14	Exposed roots, mature, good condition, invader
238.		<i>Syzygium cordatum</i>	MS (0.6)	9	11	Good condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
239.		<i>Searsia pendulina</i>	0.4	9	10	Spit stem, good condition
240.		<i>Searsia pendulina</i>	0.4	9	10	Spreading canopy, good condition
241.		<i>Schinus molle</i>	0.54	7	11	Dead wood, fair condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
242.		<i>Syzygium paniculatum</i>	0.4	7	11	Split stem, dead wood, fair condition
243.		<i>Syzygium paniculatum</i>	0.27	8	22-13	Fair condition
244.		<i>Pine sp.</i>	0.65	12	13	Canopy, dead wood, fair-poor condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
245.		<i>Pine sp.</i>	0.4	7	12	Dead wood, good condition
246.		<i>Ficus microcarpa</i>	W (8)	15	11	Good condition, cluster
247.			W (11)	11	6	Good condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
248.		<i>Eucalyptus ficifolia</i>	0.9	15	10	Dead wood, fair condition, mature
249.		- <i>Strelitzia Nicolai</i> - <i>Citharexylum spinosum</i>		4	8-10	Good condition, cluster
250.		<i>Morus alba</i>	0.3	6	7	Mature, over grown, good condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
251.		<i>Yucca gigantea</i>	0.4	1.5	6	Good condition
252.		<i>Yucca gigantea</i>	0.4	1.5	6	Good condition
253.		<i>Eucalyptus sp.</i>	0.4	10	10	Dead wood, mature, good condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
254.		<i>Eucalyptus sp.</i>	0.8	6	10	Half dead, poor condition
255.		<i>Eucalyptus sp.</i>				
256.		<i>Eucalyptus sp.</i>	MS (1)	12	15	Split stem(1), dead wood, good condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
257.		<i>Pine sp.</i>	0.6	5	9	Leaning stem, dead wood, poor condition
258.		<i>Pine sp.</i>	0.8	7	10	Fair condition, dead wood
259.		<i>Pine sp.</i>	0.34	10	12	




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
260.		<i>Pine sp.</i>	0.4	7	9	Blown over, poor condition, dead wood
261.		<i>Pine sp.</i>	0.36	6	9	
262.		<i>Eucalyptus ficifolia</i>	MS (1)	13	14	Good condition, matures




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
263.		<i>Eucalyptus ficifolia</i>	0.96			
264.		<i>Eucalyptus ficifolia</i>	0.8	12	10	Split stem, dead wood, poor condition
265.		<i>Eucalyptus ficifolia</i>	0.6	5	9	Bad condition, dead wood, poor condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
266.		<i>Eucalyptus ficifolia</i>	0.35	6	9	Leaning stem, good condition
267.		<i>Phoenix canariensis</i>	1.5	9	8	1.5 clear stem, good condition
268.		<i>Eucalyptus sp.</i>	0.5	10	9	Fair condition, dead wood




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
269.		<i>Phoenix sp.</i>	1.2	8	5	Good condition
270.		<i>Pine sp.</i>	0.3	9	10	Good condition
271.		<i>Pine sp.</i>	0.8	17	9-10	Dead wood, canopy blown over




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
272.		<i>Pine sp.</i>	0.68	12	9-10	
273.		<i>Eucalyptus sp.</i>	1.6	17	13	Mature, good condition
274.		<i>Pine sp.</i>	1.2	17	12	Split stem, mature, dead wood, fair condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
275.		<i>Callistemon sp.</i>	0.9	8	4	Fair-good condition
276.		<i>Callistemon sp.</i>	MS (0.37)	4	2.5	
277.		<i>Ceratonia siliqua</i>	MS (1.3)	11	7-8	Fair-good condition,




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
278.		<i>Callistemon sp.</i>	MS (1)	6	3	Old, damaged, windblown, poor condition
279.		<i>Ficus sp.</i>	MS (1)	6	3	Leaning over, dead wood, good condition
280.		<i>Eucalyptus sp.</i>	0.75	13	13-14	Dead wood, fair condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
281.		<i>Eucalyptus sp.</i>	0.45	11	7	Dead wood,
282.		<i>Eucalyptus sp.</i>	0.9	12	10-12	Dead wood
283.		<i>Eucalyptus ficifolia.</i>	0.9	8	10-12	Exposed roots, good condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
284.		<i>Eucalyptus ficifolia</i>	0.9	11	9	Split stem(1-5), good condition, dead wood
285.		<i>Persea americana.</i>	0.12	2	4.5	Fair condition
286.		<i>Ceratonia siliqua</i>	0.25	7	8	Poor condition, dead wood




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
287.		<i>Pine sp.</i>	0.66	14	10-12	Mature, dead wood, poor condition
288.		<i>Agonis flexuosa</i>	MS (1)	4.5	5-6	Poor condition,
289.		<i>Melia azedarach</i>	MS (0.9)	7	5	Invader, poor conditions




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
290.		<i>Fraxinus angustifolia</i>	MS (0.75)	8	4.8	Poor condition
291.		<i>Fraxinus angustifolia</i>	0.6	1.7	3-4	Poor condition, damaged
292.		<i>Dombeya rotundifolia</i>	0.3	4	3-4	Fair condition, damaged




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
293.		<i>Fraxinus angustifolia</i>	MS (1.4)	6	7-8	Fair condition, damaged by pruning
294.		<i>Fraxinus angustifolia</i>	0.6	5	5-6	Poor condition, dead wood
295.		<i>Fraxinus angustifolia</i>				




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
296.		<i>Acer sp.</i>	0.3	5	5-6	Poor condition, damaged by pruning
297.		<i>Grevillea striata</i>	0.9	14	9-10	Split stem, spreading canopy, poor condition, dead wood,
298.		<i>Unknown sp.</i>	0.55	7	5	Poor condition, damaged by pruning




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
299.		<i>Fraxinus angustifolia</i>	MS (0.6)	9	8-9	Fair condition, dead wood,
300.		<i>Unknown</i>	0.5	3	5-6	Poor condition, half dead, remove
301.		<i>Ficus elastica</i>	MS (0.6)	9	7	Fair condition, wind damage


NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
302.		<i>Phoenix canariensis</i>	1	7	4	0.7 clear stem
303.		<i>Phoenix canariensis</i>	1	7	4	0.7 clear stem
304.		<i>Syzygium paniculatum</i>	0.38	9	11	Good condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
305.		<i>Hibiscus sp.</i>	0.4	4	4.5	Mature shrub, fair condition
306.		<i>Phytolacca dioica</i>	3	12	10-12	Exposed roots, invader
307.		<i>Phoenix canariensis</i>	1.3	9	12	Clear stem(1m), good condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
308.		<i>Phoenix canariensis</i>	0.29	2.5	2.5	Good condition, young
309.		<i>Quercus sp.</i>	0.4	11	8-9	Good condition
310.		<i>Quercus sp.</i>	0.4	13	8-9	




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
311.		<i>Quercus sp.</i>	0.4	14	8-9	
312.		<i>Eucalyptus sp.</i>	1.1	8	10-12	Poor condition, dead wood, enlarged base
313.		<i>Eucalyptus sp.</i>	1.1	10	10-12	Split stem, dead wood, fair condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
314.		<i>Eucalyptus sp.</i>	1.1	10	10-12	Fair condition, dead wood
315.		<i>Eucalyptus sp.</i>	1.5	10	10-12	
316.		<i>Eucalyptus sp.</i>	MS (1.9)	17	10-12	Poor condition-fair condition, dead wood

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
317.		<i>Eucalyptus sp.</i>	MS (2)	12		
318.		<i>Eucalyptus sp.</i>	MS (1.6)	10	10-12	
319.		<i>Ficus sp.</i>	MS (0.7)	11	9-10	Split stem(0.5), good condition, spreading canopy




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
320.		<i>Ficus sp.</i>	0.7	12		
321.		<i>Ficus sp.</i>	1.1	24		Exposed roots, good condition
322.		<i>Ficus sp.</i>	0.3	11	6	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
323.		<i>Ficus sp.</i>	0.6	11	8	Good condition
324.		<i>Ekebergia sp.</i>	0.25	6	7	Good condition
325.		<i>Ekebergia sp.</i>	0.2	4	4.5	Stunted growth,




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
326.		<i>Ficus sp.</i>	0.38	7	6-7	Split stem(0.5), good condition
327.		<i>Ficus sp. x2</i>	1.2	8	10	Good condition
328.		<i>Ficus microcarpa</i>	1.3	2.5	10	Good condition, spreading canopy




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
329.		<i>Afrocarpus falcatus</i>	0.2	5.5	4	Good condition, damaged
330.		<i>Brachylena discolor</i>	0.45	6	6	Fair condition, windblown, dead wood
331.		<i>Phoenix canariensis</i>	1.1	11	9	2.2 clear stem, good condition, requires pruning




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
332.		<i>Ficus sp.</i>	0.85	10	12-	Good condition, spreading canopy, exposed roots
333.		<i>Ficus sp.</i>	0.85	10	12-	Good condition, spreading canopy, exposed roots
334.		<i>Ficus sp.</i>	0.85	10	12-	Good condition, spreading canopy, exposed roots




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
335.		<i>Yucca gigantea</i>	1.5	3.5	10	Enlarged base, very tall yaccu
336.		<i>Ekebergia sp.</i>	1.1	23	10	Massive spreading crown, dead wood, good condition
337.		<i>Brachylaena discolor</i>	MS (0.8)	7	8	Fair condition-poor condition dead wood, requires pruning




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
338.		<i>Ficus natalensis</i>	0.8	13	10	Good condition
339.		<i>Dais cotinifolia</i>	0.2	4	7	Poor condition, stunted growth
340.		<i>Schinus terebinthifolius</i>	NS (1)	12	9	Twinning stem, good condition, invader




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
341.		<i>Phytolacca dioica</i>	5	13	10-11	Enlarged base, good condition, invader
342.		<i>Kiggerlaria africana</i>	MS (0.5)	3.5	7-8	Fair condition, damaged by pruning
343.		<i>Ficus natalensis</i>	0.43	9	8-9	Good condition

NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
344.		<i>Ficus microcarpa</i>	0.22	5	7-8	Good condition, suppressed growth
345.		<i>Ficus sp.</i>	0.5	11	9-10	Good condition
346.		<i>Ficus sp.</i>	0.5	11	9-10	Good condition




NO	TREE PHOTOGRAPHIC RECORD	SPECIES	GIRTH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
347.		<i>Ficus sp.</i>	0.7	10	10-11	Leaning stem, good condition
348.		<i>Ficus sp.</i>	0.7	10	10-11	Good condition
349.		<i>Ficus sp.</i>	0.24	4	6	Suppressed growth, fair condition

No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
350.		<i>Ficus sp.</i>	0.44	7	8-9	Fair condition
351.		<i>Phoenix canariensis</i>	1.1	8	10	Clear stem(4), good condition, branches on the building
352.		<i>Wild peach</i>	1.1	12	11-12	Spreading, good condition, mature

No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
353.		<i>Melia azedarach</i>	1.2	12	12-13	Enlarged base, mature, dead wood, good condition
354.		<i>Ficus sp.</i>	0.43	18	10-12	Good condition
355.		<i>Ficus sp.</i>	0.55	23	10-12	Good condition




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
356.		<i>Ficus sp.</i>	0.44	15	9-10	Good condition
357.		<i>Ficus sp.</i>	0.44	15	9-10	Good condition, slightly suppressed
358.		<i>Myoporum sp.</i>	1	9	6	Leaning stem, fair condition, dead wood, mature




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
359.		<i>Washingtonia robusta</i>	0.5	5	14	Good condition, clear stem(10m)
360.		<i>Washingtonia robusta</i>	0.5	5	14	Good condition,
361.		<i>Prunus sp.</i>	0.17	3	4	Mature, fair condition

No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
362.		<i>Eucalyptus</i>	0.55	5	14	Good condition
363.		<i>Eucalyptus</i> X2	1	5	14	Fair condition
364.		<i>Phoenix canariensis</i>	1.1	10	16	Stem covered with Ivy, good condition

No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
365.		<i>Washingtonia robusta</i>	0.5	4	11-12	9-10 clear stem, good condition
366.		<i>Washingtonia robusta</i>	0.5	4	11-12	9-10 clear stem, good condition
367.		<i>Washingtonia robusta</i>	0.5	4	11-12	9-10 clear stem, good condition




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
368.		<i>Washingtonia robusta</i>	0.5	4	11-12	9-10 clear stem, good condition
369.		<i>Washingtonia robusta</i>	0.5	4	11-12	9-10 clear stem, good condition
370.		<i>Phoenix canariensis</i>	1.1	6	16	Very good condition, clear stem (10m)

No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
371.		<i>Eucalyptus ficifolia</i>	1.2	21	12-13	Mature, Spreading canopy, good condition
372.		<i>Eucalyptus ficifolia</i>	0.68	6.5	9-10	Split stem(1), suppressed growth, poor condition, dead wood
373.		<i>Eucalyptus ficifolia</i>	0.6	6	7-8	Dead wood, mature, fair condition

No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
374.		<i>Ficus sp.</i>	MS (0.5)	10	7-8	Good condition
375.		<i>Eucalyptus ficifolia</i>	1.25	19	11-12	Spreading canopy, mature, leaning
376.		<i>Eucalyptus ficifolia</i>	1	13	11-12	Mature, good condition, disease




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
377.		<i>Eucalyptus ficifolia</i>	1.1	18	11-12	Good condition, mature
378.		<i>Eucalyptus sp.</i>	0.8	16	10-12	Good condition, mature
379.		<i>Phoenix canariensis</i>	0.8	18	15-16	Clear stem(10), good condition




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
380.		<i>Ekebergia sp.</i>	0.6	15	7-8	Good condition, spreading canopy
381.		<i>Phoenix canariensis</i>	0.6	16	15-16	Clear stem(10) good condition
382.		<i>Araucaria Sp.</i>	1	9	12	Poor condition, stunted growth, wind blown




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
383.		<i>Eucalyptus sp.</i>	0.3	4	6	Enlarged base, poor condition, wind blown
384.		<i>Eucalyptus sp.</i>	0.3	4	6	Enlarged base, poor condition, wind blown
385.		<i>Eucalyptus sp.</i>	0.3	4	6	Enlarged base, poor condition, wind blown




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
386.		<i>Myoporum sp.</i>	0.2	2.5	3.5	Poor condition, stunted growth
387.		<i>Strelitzia nicolai</i>		2.5	4.5	Good condition, cluster
388.		<i>Ficus sp.</i>	0.4	11	7-8	Good condition




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
389.		<i>Eucalyptus sp.</i>	0.3	4	6	Poor condition, wind blown
390.		<i>Eucalyptus sp.</i>	0.3	4	6	Poor condition, wind blown
391.		<i>Eucalyptus sp.</i>	0.3	4	6	Poor condition, wind blown




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
392.		<i>Eucalyptus sp.</i>	0.3	4	6	Poor condition, wind blown
393.		<i>Phytolacca dioica</i>	1.7	4	9	Enlarged base
394.		<i>Hibiscus sp.</i> <i>Tecoma stans</i> <i>Leucospermum sp.</i>		10	4-5	Fair condition




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
395.		<i>Myoporum sp.</i>	0.4	11	4	Fair-poor condition
396.		<i>Syzygium paniculatum</i>	0.2	7	10	Good condition
397.		<i>Ficus microcarpa</i>	0.2	9	7-8	Good condition




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
398.		<i>Leucospermum sp.</i>		8	2	shrub
399.		<i>Myoporum sp.</i>	0.4	11	4	Fair condition-poor condition
400.		<i>Myoporum sp.</i>	0.4	11	4	Fair condition-poor condition




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
401.		<i>Phoenix canariensis</i>	0.8	7	15	(1-6) clear stem
402.		<i>Ficus sp.</i>	0.46	13	7-8	Spreading canopy, good condition, healthy
403.		<i>Washingtonia robusta</i>	0.7	3-5	10-12	Good condition, requires pruning




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
404.		<i>Washingtonia robusta</i>	0.7	3-5	13	Good condition, requires pruning
405.		<i>Ficus sp.</i>	0.3	8	5-5	Leaning stem, good condition
406.		<i>Ficus sp.</i>	0.5	13	6	Leaning stem, good condition


No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
407.		<i>Phoenix canariensis</i>	0.6	9	9-10	(3.5) clear stem, good condition
408.		<i>Ficus sp.</i>	0.5	13	6	Good condition
409.		<i>Prunus sp.</i>	0.95	13	14	Poor condition, dead wood, wind blown




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
410.		<i>Acacia saligna</i>	2	8	4.5	Clustering, half dead, poor condition
411.		<i>Fraxinus sp.</i>	0.5	8	7-8	Poor-fair condition, dead wood, wind blown
412.		<i>Fraxinus sp.</i>	0.2	5	4	Poor-fair condition




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
413.		<i>Fraxinus sp.</i>	0.45	8	8-9	Split stem(1),fair condition
414.		<i>Fraxinus sp.</i>	0.7	11	12	Multi stem (0.5), poor-fair condition, dead wood
415.		<i>Grevillea sp.</i>	0.5	10	12	Poor condition, dead wood




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
416.		<i>Ilex sp.</i>	0.51	8	9-10	Multi stem(0.5), good condition
417.		<i>Phoenix canariensis</i>	0.9	8	12	(8-9) clear stem, good condition
418.		<i>Fraxinus sp.</i>	0.5	7	6-7	Split stem (0.5), poor condition, windblown, dead wood




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
419.		<i>Schinus terebinthifolius</i>	MS (0.1)	10	5-6	Spreading, good condition, invader
420.		<i>Ceratonia siliqua</i>	0.33	8	8-9	Good condition
421.		<i>Syzygium paniculatum</i>	0.2	3	5-6	Upright, fair condition




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
422.		<i>Callistemon sp.</i>	MS (0.8)	4.5	5-6	Fair condition
423.		<i>Syzygium cordatum</i>	0.21	5.5	4.5	Good condition
424.		<i>Syzygium cordatum</i>	0.21	5.5	6.5	Good condition




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
425.		<i>Celtis sp.</i>	0.25	9.5	7-8	Good condition, healthy
426.		<i>Ceratonia sp.</i>	MS (0.95)	9.5	5-6	Fair condition, twining branches
427.		<i>Leucospermum sp.</i>		5.5	2	Mature, windblown, fair-poor condition




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
428.		<i>Protea sp. cluster</i>		8	3	Fair condition, mature
429.		<i>Myoporum sp.</i>	MS (1.2)	4.5	4.5	Poor condition, dead wood
430.		<i>Eucalyptus sp.</i>	2.7	10	6	Cluster, poor condition, re-sprouting




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
431.		<i>Brachylaena sp.</i>	MS (1.2)	9.5	15	Fair condition, over grown
432.		<i>Kiggelaria africana</i>	0.3	5	8-9	Good condition, upright against the building
433.		<i>Erythrina sp.</i>	0.27	5	5	Good condition




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
434.		<i>Phoenix canariensis</i>	1.2	8	14	(10 m) clear stem, good condition
435.		<i>Schinus terebinthifolius</i> x2		12	5-6	Self-seed, growing into the building, fair condition
436.		<i>Ceratonia siliqua</i>	0.45	8	6-9	Spreading canopy, good condition




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
437.		<i>Morus alba</i>	MS (0.5)	5	6-7	Leaning, fair condition, self-seed
438.		<i>Pinus sp.</i>	0.55	11	9-10	Leaning stem, windblown, old, poor-fair condition
439.		<i>Phoenix canariensis</i>	0.7	8	7-8	(5m) clear stem, fair condition, leaning against the building




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
440.		<i>Phoenix canariensis</i>	0.6	5	10	(7-8m) Clear stem
441.		<i>Quercus robur</i>	1.1	14	12-13	Mature, good condition, spreading canopy
442.		<i>Schinus terebinthifolius</i>	0.7	9	10-12	Multi stem (0.5), twining branches, good condition, invader


No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
443.		<i>Castanea sativa</i>	0.35	9	9-10	Dead wood, good condition
444.		<i>Schinus terebinthifolius</i>	MS (0.6)	9	6-7	Fair condition, invader, twining stem
445.		<i>Searsia pendulina</i>	MS (0.7)	12	7-8	Twining branches, good condition




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
446.		<i>Melia azedarach</i>	0.37	10	10-110	Good condition, invader
447.		<i>Strelitzia nicolai</i>		5	10	Cluster (3m), good-fair condition
448.		<i>Eucalyptus sp.</i>	9	10	10	Poor condition



No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
449.		<i>Brachylaena sp.</i>	0.25	7	4.5	Fair condition, growing into another tree (<i>Schinus terebinthifolius</i>)
450.		<i>Phytolacca dioica</i>	1	4	9-10	Half dead, poor condition
451.		<i>Schinus terebinthifolius</i>	0.25	4.5	4	Twining stem, fair condition

No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
452.		<i>Ficus microcarpa</i>	0.6	14	9-10	Good condition
453.		<i>Eucalyptus sp.</i>	1	7-8	9-10	Poor-fair condition
454.		<i>Ficus microcarpa</i>	0.4	9-10	(10-12)	Good condition




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
455.		<i>Eucalyptus sp.</i>		5	6	Poor condition
456.		<i>Ficus microcarpa</i>	1	16	10-12	Good condition, spreading
457.		<i>Phoenix canariensis</i>	0.7	7	5	(1m) clear stem




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
458.		<i>Celtis sp.</i> <i>Syzygium paniculatum</i> <i>Syzygium cordatum</i> <i>Conifers sp.</i>				Cluster
459.		<i>Metrosideros sp.</i>	0.3	6	6	Good condition
460.		<i>Schinus terebinthifolius</i>	1	13	5.5	Spreading canopy




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
461.		<i>Syzygium guineense</i>	0.37	10	10	Good condition
462.		<i>Ficus sp.</i>	0.5	13	11	Good condition
463.		<i>Ceratonia siliqua</i> <i>Schinus terebinthifolius</i> <i>Yucca sp.</i> <i>Morus alba</i> <i>Dovyalis caffra</i>	0.1-0.3		±4-5	Cluster canopy




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
464.		<i>Phytolacca dioica</i>	9	9	3	Re-sprouting stump, enlarged base, fair condition
465.		<i>Eriobotrya japonica</i>	0.16	4	4	Good condition,
466.		<i>Eriobotrya japonica</i>	0.18	7	6	Fair condition, windblown




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
467.		<i>Dovyalis caffra</i>	MS (0.25)	13	4.5	Cluster, good condition, mature
468.		<i>Eucalyptus sp.</i>	0.9	13	14-15	Good condition, mature
469.		<i>Unknown sp. evergreen</i>	MS (0.5)	8	9-10	Fair condition


No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
470.		<i>Phytolacca dioica</i>	MS (3)	13	11-12	Enlarged base, fair condition, mature, invader
471.		<i>Pinus pinea X4</i>	0.8	16	13	Poor condition, windblown, dead wood
472.		<i>Ceratonia siliqua</i>	0.9	9	12	Dead wood, mature, poor condition




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
473.		<i>Ficus sp.</i>	2.1	17	19+	Good condition, mature, spreading canopy
474.		<i>Phoenix canariensis</i>	1	7	17	(14m) clear stem, good condition
475.		<i>Harpephyllum sp.</i> <i>Persea Americana</i> <i>Prunus persica</i> x2	0.2	13	8-9	Fair condition




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
476.		<i>Kiggelaria Africana</i> <i>Brachylaena sp.</i> <i>Persea americana x2</i> <i>Citharexylum spinosum</i>	0.3	22		Good condition, over grown
477.		<i>Podocarpus sp.</i>	0.2	6	7-8	Upright, fair condition
478.		<i>Ficus benjamina</i>	0.27	8	8-9	Pot plant, good condition




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
479.		<i>Kiggerlaria africana</i>	0.6	10	9-10	Good condition
480.		<i>Eriobotrya japonica</i>	0.5	8	8-9	Good condition, invader
481.		<i>Prunus persica</i>	0.25	4	6	Fair condition, fruiting




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
482.		<i>Kiggelaria africana</i>	MS (0.5)	6	8-9	Fair condition
483.		<i>Strelitzia nicolai</i>	1	4	8-9	Cluster, good condition
484.		<i>Ficus benjamina</i>	0.3	5	5-6	Fair condition, suppressed growth




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
485.		<i>Harpephyllum sp.</i>	0.24	9	10-11	Leaning, good condition
486.		<i>Olea sp.</i>	0.57	4	8-9	Good-fair condition
487.		<i>Acacia galpinii</i>	0.4	9	10-11	Leaning, fair condition

No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
488.		<i>Prunus sp.</i>	MS (0.5)	11	5	Good condition
489.		<i>Olea sp.</i>	MS (0.5)	6	4-5	
490.		<i>Phytolacca dioica</i>	0.8	8	9	Enlarged base

No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
491.		<i>Ficus elastica</i>				
492.		<i>Morus alba</i>	0.4	12	6-7	Leaning, good-fair condition
493.		<i>Eriobotrya japonica</i>	0.17	4.5	7	Very healthy




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
494.		<i>Celtis sp.</i>	0.2	4-5	7	Good condition
495.		<i>Olea sp.</i>	MS (1)	5	6	Fair condition
496.		<i>Prunus sp.</i>	MS (0.8)	5	6	Fair condition




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
497.		<i>Persea americana</i>	MS (1)	5	5.5	Fair condition
498.		<i>Prunus sp.</i>	0.4	5	5.5	Fair condition
499.		<i>Prunus sp.</i>	0.2	3	4.5	Fair condition




No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
500.		<i>Ficus carica</i>	0.2	5	5	Fair condition
501.		<i>Mangifera indica</i>	0.3	4	4-5	
502.		<i>Acer sp.</i>	0.38	9	6-7	Good condition

No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
503.		<i>Searsia pendulina</i>	0.4	3	6	Fair condition
504.		<i>Celtis sp.</i>	0.2	3	8	Good condition
505.		<i>Ilex sp.</i>	MS (0.1)	6	8	Fair condition


No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
506.		<i>Eriobotrya japonica</i>	0.4	5	9-10	Fair condition, leaning
507.		<i>Metrosideros sp.</i>	0.6	6	9-10	Good condition
508.		<i>Myoporum sp.</i>	0.35	8	9-10	Fair condition

No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
509.		<i>Callistemon sp.</i>	0.26	5	9-10	Good condition
510.		<i>Hibiscus sp.</i>	0.6	7	8	Fair-poor condition
511.		<i>Citharexylum spinosum</i>	0.35	6	8	Suppressed growth, fair condition

No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
512.		<i>Kiggelaria africana</i>	0.3	8	8-9	Good condition
513.		<i>Persea americana</i>	0.25	7	8-9	Fair condition
514.		<i>Unknown sp.</i>	0.4	8	10-12	Good condition

No	TREE PHOTOGRAPHIC RECORD	SPECIES	GRITH (m)	CANOPY (m)	HEIGHT (m)	COMMENT
515.		<i>Phytolacca dioica</i>	2.5	6	7	Enlarged base, fair condition, invader
516.		<i>Phytolacca dioica</i>	2.5	6	7	Enlarged base, fair condition, invader
517.		<i>Phoenix canariensis</i>	1	6	12	Good condition, clear stem

Annexures



OUDE MOLEN PRECINCT


TREE AND SHRUB QUALITY SURVEY


PROJECT NO.	77906	TITLE	
DATE	NOVEMBER 2020	PROJECT MANAGER	TSI
SCALE	1:500 @ A1	CLIENT	WESTERN CAPE GOVERNMENT
DRAWN BY	SP/SC/SL/MS	DATE	
CHECKED BY	SP/SC/SL/MS	DATE	
APPROVED BY	JED	DATE	

WESTERN CAPE GOVERNMENT

PLANNING PARTNERS

PLANNING PARTNERS
 111 WATERLOO STREET, CAPE TOWN 8001
 TEL: +27 (0) 21 462 1111
 WWW.PLANNINGPARTNERS.CO.ZA





OUDE MOLEN PRECINCT

TREE AND SHRUB QUALITY SURVEY

DATE	7/3/20
DRAWN BY	TS 3
CHECKED BY	
DATE	NOVEMBER 2020
DRAWN BY	SP GROUP M&G
CHECKED BY	SP GROUP M&G
DATE	
DRAWN BY	JED
CHECKED BY	JED
DATE	
DRAWN BY	
CHECKED BY	
DATE	
DRAWN BY	
CHECKED BY	
DATE	
DRAWN BY	
CHECKED BY	
DATE	

WESTERN CAPE GOVERNMENT



ERF 26439

ALEXANDRA ROAD

ALEXANDRA ROAD

ALEXANDRA ROAD

HAIG

PERSEVERANCE

PERSEVERANCE

BEALTY

PERSEVERANCE